


# **Carbide End Mills**

### Submicron Solid Carbide Double-End Stub End Mills

#### Right Hand Cutting • Right Hand Spiral • Center Cutting





Tolerances - Cutting Diameter:
1/8" - 1/4" +.000-.002
9/32" - 1/2" +.000-.003

4 Flute Square End

4 Flute Ball End







 To Order – Specify Cutting Diameter and number of flutes.

2 Flute Square End

2 Flute Ball End

٠	For	Ball	End	Add	"B"
---	-----	------	-----	-----	-----

•	Special End Mills and Modification	ıs
	Available on Request.	*

- All tools available with TiN coating on request.
- All ball end mills may be approximately 1/8" shorter in flute length and overall length.

Cutting Dia.	Shank Dia.	Flute Length	Overall Length
1/16"	1/8"	3/32"	1 1/2"
3/32"	1/8"	3/16"	1 1/2"
1/8"	3/8"	3/8"	3-1/16"
5/32"	3/8"	7/16"	3-1/8"
3/16"	3/8"	1/2"	3-1/4"
7/32"	3/8"	9/16"	3-3/8"
1/4"	3/8"	5/8"	3-3/8"
9/32"	3/8"	11/16"	3-1/2"
5/16"	3/8"	3/4"	3-1/2"
11/32"	3/8"	3/4"	3-1/2"
3/8"	3/8"	3/4"	3-1/2"
7/16"	1/2"	7/8"	4"
1/2"	1/2"	1"	4" ·

## 60 Degree High-Helix Submicron Solid Carbide End Mills

## Right Hand Cutting • Right Hand Spiral • Center Cutting

- Designed to cut titanium, inconel, steel alloy and stainless steels
- · Increase tool life
- · Faster feeds and speeds
- · CNC precision ground
- · Available with TiN coating
- Tolerances: Cutting Diameter - All Sizes +.000-.002 Shank Diameter - All Sizes -.0001-.0005



Cutting Dia.	Shank Dia.	Flute Length	Overali Length	= Flute
1/8/	7	1/2"	27 (21)	
3/16"	1/4"	5/8"	2 1/2" 2 1/2"	3
1/4" 5/16"	1/4" 5/16"	3/4" 13/16"	2-1/2" 2-1/2"	3
3/8"	3/8"	7/8"	2-1/2" 2-1/2"	3
7/16"	7/16"	1"	3"	3
1/2"	1/2 <sup>tt</sup>	on di <b>j</b> utaj diĝo	3"	3
9/16"	9/16"		3-1/2" 3-1/2"	3
5/8"	5/8 <sup>th</sup>	1-1/4"	3-1/2"	3
3/4"	3/4"	1-1/2"	<b>4</b> <sup>11</sup>	3 & 4
1"	1"	1-1/2"	4 <sup>11</sup>	3 & 4